

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO.                           | FILING DATE    | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |  |
|---|----------------|----------------------|---------------------|------------------|--|
| 10/003,044                                | 12/06/2001     | Hajime Matsumoto     | 43247               | 4952             |  |
| 1609                                      | 7590 03/10     | 2005                 | EXAM                | INER             |  |
| ROYLANCE, ABRAMS, BERDO & GOODMAN, L.L.P. |                |                      | PUTTLITZ            | PUTTLITZ, KARL J |  |
| 1300 19TH                                 | STREET, N.W.   |                      |                     |                  |  |
| SUITE 600                                 |                |                      | ART UNIT            | PAPER NUMBER     |  |
| WASHING                                   | TON,, DC 20036 |                      | 1621                |                  |  |
|   |                |                      |                     |                  |  |

DATE MAILED: 03/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

| $\mathcal L$   |   |  |  |
|--|---|--|--|
|  | Application No.   | Applicant(s)   |  |
| Office Action Summary  | 10/003,044  | MATSUMOTO ET AL.   |  |
| Onice Action Summary   | Examiner  | Art Unit   |  |
| The MAILING DATE of this communication and   | Karl J. Puttlitz  | 1621   |  |
| The MAILING DATE of this communication appr<br>Period for Reply  | ears on the cover sheet with the c  | orrespondence address  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).   | 6(a). In no event, however, may a reply be tim<br>within the statutory minimum of thirty (30) days<br>ill apply and will expire SIX (6) MONTHS from<br>cause the application to become ABANDONE | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). |  |
| Status   |   |  |  |
| <ul> <li>1)  Responsive to communication(s) filed on 29 No.</li> <li>2a)  This action is FINAL. 2b)  This</li> <li>3)  Since this application is in condition for allowan closed in accordance with the practice under E.</li> </ul>   | action is non-final.<br>ce except for formal matters, pro   |  |  |
| Disposition of Claims  |   | •  |  |
| 4) ☐ Claim(s) 1-3,5,6 and 8-10 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-3,5,6 and 8-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or   | n from consideration.   | ,  |  |
| Application Papers   |   |  |  |
| 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the output of the correction access and the correction of the output of the correction of the output of the correction of the output of the correction of th | epted or b) objected to by the E<br>Irawing(s) be held in abeyance. See<br>on is required if the drawing(s) is obj  | e 37 CFR 1.85(a).<br>lected to. See 37 CFR 1.121(d).   |  |
| Priority under 35 U.S.C. § 119   |   |  |  |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of  | have been received. have been received in Application ty documents have been receive (PCT Rule 17.2(a)).  | on No ed in this National Stage  |  |
| Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date  | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:  |  |  |

## **DETAILED ACTION**

The rejection under section 103 is maintained and repeared below. Applicant's remarks in connection with this ground of rejection are also addressed.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 5, 6 and 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,414,182 to Shingai et al. (Shingai) is maintained.

The invention is drawn to a process for producing hydroxyalkyl (meth)acrylate by reacting (meth)acrylic acid with alkylene oxide o produce the hydroxyalkyl (meth)acrylate, comprising producin a resultant reaction liquid in a reaction apparatus where the resultant reaction liquid contains crude hydroxyalkyl (meth)ackryate, unreacted (meth)acrylic acid and unreacted alkylene oxide (b) introducing the resultant reaction liquid into a distillation apparatus and distilling the reaction liquid under an operational pressme of 1 to 40 hPa to remove unreacted (meth)acrylic acid, (c) recovering the unreacted (meth)acrylic acid by the distillation of the resultant reaction liquid, (d) recycling and introducing the unreacted (meth)acrylic acid recovered from the distillation apparatus into the reaction apparatus as a raw material for the reaction.

Application/Control Number: 10/003,044

Art Unit: 1621

Shingai teaches "an addition reaction between the carboxylic acid and the alkylene oxide is carried out in the presence of a catalyst." See column 2, lines 30-31.

Examples of the carboxylic acid usable in Shingai include "acrylic acid, methacrylic acid, acetic acid, propionic acid, butyric acid, maleic acid, fumaric acid, succinic acid, benzoic acid, terephthalic acid, trimellitic acid, and pyromellitic acid, but acrylic acid and methacrylic acid (which are generically referred to as (meth)acrylic acid) are particularly preferable. In addition, the alkylene oxide, usable in the present invention, preferably has 2 to about 6 carbon atoms, more preferably 2 to about 4 carbon atoms. Examples thereof include ethylene oxide, propylene oxide, and butylene oxide. Among them, ethylene oxide and propylene oxide are preferable, and ethylene oxide is particularly preferable." See paragraph bridging columns 2 and 3.

Example 1 teaches an autoclave was charged with a catalyst, 5 g of hydroquinone monomethyl ether as a polymerization inhibitor, and acrylic acid to prepare a total amount of 600 ml of mixture. The resultant mixture was heated to 70C., and then air in the autoclave was replaced with nitrogen gas. Thereafter, ethylene oxide and acrylic acid (containing hydroquinone monomethyl ether in a ratio of 1.0 weight %) were continuously supplied into the autoclave at rates of 101 g/h and 109 g/h respectively (ethylene oxide/acrylic acid=1.5 (molar ratio)). The resultant reaction liquid was continuously extracted such that the liquid level in the autoclave could be fixed during the reaction.

The resultant mixture is:

Application/Control Number: 10/003,044

Art Unit: 1621

| Conversion of acrylic acid:                     | ୫୯   | ಮ0i %        |
|---|------|--------------|
| Conversion of ethylene oxide:                   | 58   | moi %        |
| Molar railo of ethylene oxide/acrylic acid:     | 4.7  |              |
| Selectivity of diethylene glyoni monnacrylate   | 1.7  | <b>ಪರಿ</b> % |
| (based on the conversion of scrylic soid;       |      |              |
| hereinafter the same):                          |      |              |
| Selectivity of diester (based on the conversion | 0.18 | moi %        |
| of acrylic acid; hereinefter the same);         |      |              |

Shingai also teaches purification of the final product by removal of the raw starting materials, e.g., by distillation: "[t]he conversion in this addition reaction is often less than 100%, therefore generally such as a portion of the carboxylic acid or alkylene oxide remains unreacted in the reaction at the end of the reaction. Thus, the above reaction liquid is led to the step to remove such as these unreacted residues of raw materials from the reaction liquid, and then purified by such as distillation as the subsequent final step, with the result that the aimed hydroxyalkyl ester is obtained." See column 2, lines 30-40.

Shingai also teaches recycling at recycling alkylene oxide or the carboxylic acid, either separately or together. Specifically, the references teaches that "raw carboxylic acid and the raw alkylene oxide into the reactor, they may be added from their separate lines, or they may be premixed together in such as piping, a line mixer, or a mixing tank and then added into the reactor. In addition, in the case where a reactor outlet liquid is circulated into a reactor inlet, or in the case where an unreacted residue of the alkylene oxide or carboxylic acid is recovered and then recycled, these liquids may be mixed with the raw carboxylic acid or the raw alkylene oxide and then added into the reactor.

However, in the case where the raw carboxylic acid and the raw alkylene oxide are added from their separate feeding lines into the reaction liquid, the molar ratio in the reaction liquid is such that the carboxylic acid is excessive near an inlet into which the carboxylic acid is added, therefore it is preferable that the above raw materials are premixed together in such as piping and then added into the reactor." See column 3, lines 41-57.

The difference between Shingai and the claimed inventions is that Shingai does not teach the invention with particularity so as to amount to anticipation (See M.P.E.P. § 2131: However, based on the above, Shingai teaches the elements of the claimed invention with sufficient guidance, particularity, and with a reasonable expectation of success, that the invention would be *prima facie* obvious to one of ordinary skill (the prior art reference teaches or suggests all the claim limitations with a reasonable expectation of success. See M.P.E.P. § 2143).

Applicant argues that Shingai et al. does not disclose or suggest the claimed concentration of the (meth)acrylic acid in the reaction liquid.

However, Shingai teaches that the amount of raw materials as charged for the above reaction between the carboxylic acid and the alkylene oxide is such that the alkylene oxide is preferably in the range of 1.0 to about 5.0 mols per 1 mol of the carboxylic acid. Based on the forgoing, those of ordinary skill would expect that the amount of methacrylic acid in the reaction liquid would be within the broad range claimed. The record is absent of any evidence to the contrary.

Art Unit: 1621

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl J. Puttlitz whose telephone number is (571) 272-0645. The examiner can normally be reached on Monday-Friday (alternate).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter can be reached on (571) 272-0646.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist.

Karl J. Puttlitz Assistant Examiner

Johann R. Richter, Ph.D., Esq. Supervisory Patent Examiner

Biotechnology and Organic Chemistry

Page 6

Art Unit 1621 (571) 272-0646